peugeot504.info



1982 PEUGEOT RANGE



COME AND TEST DRIVE A PEUGEOT AT:

Every endeavour has been made to ensure that the information contained in this folder was accurate at the time of going to press. Peugeot Talbot, however, reserve the right while preserving the essential characteristics of the models described and illustrated in this folder to introduce at any time, modifications, changes of detail, equipment or accessories as may be considered necessary. The folder will be up-dated from time to time but in order to avoid any misunderstanding any person interested in purchasing a vehicle should enquire of an authorised Peugeot dealer as to whether there have been any material alterations since the date of the issue of this folder.

Peugeot Automobiles U.K. Ltd., 333, Western Avenue, London W3 0RS: October 1981, C9620/1/150



	The second second		Charles and the same
PEUGEOT 104 3-DOOR	ZL	ZR	ZS
Cubic Capacity cc	954	1124	1360
Max. Power DIN BHP @ rpm	45 @ 6000	50 @ 5500	72 @ 6000
Max. Torque lb ft DiN @ rpm	47 @ 3000	62 @ 2500	79 @ 3000
Electronic Ignition		•	•
Gearbox	4 SP	4 SP	5 SP
Cooling Fan	Electric	Electric	Electric
Servo Brakes			0
Discs	Front	Front	Front
Luggage Capacity Cu. Ft.	5-4/32-6	5 · 4/32 · 6	5 4/32 6
Overall Length ins.	132-5	132-5	132-5
Wheelbase ins.	88	88	88
Tyre Size	135×13	135×13	165/70×13
Electric screen wash		•	•
Two-speed screen wiper	•		•
Two-speed heater blower	•		•
Provision for roof aerial & radio cables	•	•	•
Intertia reel front seat belts	•	•	
Passenger vanity mirror	•	•	•
Warning light for handbrake & brake fluid level	•		
Front door armrests	•	•	•
Reversing lamps	•	•	•
Heated backlight.	•	•	•
Cigar lighter		•	•
Dipping rear view mirror			•
Reclining front seats	•	•	•
Econoscope			
Trip mileage recorder		•	•
Illuminated heater controls		•	•
Front passenger grab handle		•	•
Rear fog lamps	•	•	•
Clock		•	Digital
Front seat headrestraints			•
Front carpet		•	0
Intermittent screenwipe			0
Rev. counter			
Sports steering wheel			0
Halogen headlamps			0
Tailgate wash/wipe			0
Electric front windows			0
Tinted glass all round		4	
Laminated windscreen			•

PEUGEOT 104 5-DOOR	GL	GR	SR	SRPACK	S
Electric screen wash					•
Two-speed screen wipers	•		0	0	
Intertia reel front seat belts			0	0	0
Warning light for handbrake & brake fluid level			0	0	0
Heated backlight					
Reverse lamps			0	0	
Rear fog lamps				0	•
Front seat head restraints			•		
Intermittent screen wipe		4.00			0
Laminated windscreen					0
Tailgate wash/wipe				0	0
Halogen headlamps			. 9		0
Tinted glass all round			10.121	0	
Two speed heater/blower			0	0	. 0
Provision for roof aerial & radio cables		0		0	0
Passenger vanity mirror	0				
Front door armrests	•				0
Cigar lighter					
Reclining front seats					
Trip mileage recorder					•
Illuminated heater controls	The same				
Clock				•	Digital
Front carpet	THE VIEW	•			
Tweed upholstery			•	0	
Electric front windows				0	•
Sun roof		N. III			
Econoscope		0			
Rev counter					•
Sports steering wheel					0
Cubic Capacity cc	954	1124	1219	1219	1360
Max. Power DIN BHP @ rpm	45 @ 6000	50 @ 5500	57 @ 5500	57 @ 5500	72 @ 6000
Max. Torque lb ft DIN @ rpm	47 @ 3000	62 @ 2500	68 @ 2750	68 @ 2750	79 @ 3000
Electronic Ignition		•			•
Gearbox	4 SP	4 SP	5 SP	5 SP	5 SP
Cooling Fan	Electric	Electric	Electric	Electric	Electric
Servo Brakes					0
Discs	Front	Front	Front	Front	Front
Luggage Capacity Cu. Ft.	9-6/37-8	9 6/37 8	9-6/37-8	9 6/37 8	9 6/37 8
Overall Length ins.	142	142	142	142	142
Wheelbase ins.	95	95	95	95	95
Tyre Size	135×13	135×13	145×13	145×13	165/70×13





PEUGEOT 305 SALOONS	GL	GLS	SR	S	GLD
Cubic Capacity cc	1290	1472	1472	1472	1548
Max. Power DIN BHP @ rpm	65 @ 6000	74 @ 6000	74 @ 6000	89 @ 6000	49 @ 5000
Max. Torque lb ft DIN @ rpm	69@3750	85 @ 3000	85 @ 3000	92 @ 3000	63 @ 2500
Towing Capacity	2205 lbs	2205 bs	2205 lbs	2205 lbs	1874 lbs
Gearbox	4 SP				
Cooling Fan	Self engaging				
Servo Brakes	•				
Discs	Front	Front	Front	Front	Front.
Luggage Capacity Cu. Ft.	16-4	16.4	16-4	16-4	16-4
Overall Length ins.	167	167	167	167	167
Wheelbase ins.	103	103	103	103	103
Tyre Size	145×14	145×14	155×14	165/70×14	145×14
Electric screen wash				0	
Two-speed screen wipers	0		•	0	
ntermittent screen wipe			0	0	
Warning light for handbrake, brake fluid & pad wear	0	•	0	0	0
Dipping rear view mirror	•	•		0	•
Childproof rear door locks		0	0		
Reversing lamps	0		0	0	
Rear fog lamps	0			0	. 0
Heated backlight	0	0	•		
Front seat head restraints		0	0	0	0
Rev counter			•	0	
Halogen headlamps				0	
Laminated windscreen			0		
Tinted glass			0		
Central door locking					
Door armrests [front/rear]			0	• 373	0
3-speed heater/blower	•	•	•		
Reclining front seats	•	•	0	•	
Front parcel shelf				•	
Clock		•	0	0	
Front door storage pockets			0	0	
Map pockets on front seat backs				•	
Rear centre armrest				•	
Lockable glove box			0	•	
Electric front windows				•	
Electric steel sunroof				•	
Boot lamp		•	•		
Push button radio			•		

PEUGEOT 305 ESTATES	GL	GLS	SR	GLD
Electric screen wash	•			
Two-speed screen wipers			•	
Intermittent screen wipe				
Warning light for handbrake, brake fluid and pad				
wear	•	0	0	
Dipping rear view mirror		•	0	0
Childproof rear door locks	•	•	•	0
Reversing lamps	•	•		
Rear fog lamps	•	•	•	•
Heated backlight	0		0	0
Remote control door mirror		The state of the s	• [2]	
Front and rear grab handles		. 9	0	
Front seat head restraints	0	0	0	
Rev Counter		10.00		
Halogen headlamps			•	
Laminated windscreen			•	
Tailgate wash/wipe	19	315	. 0	
Tinted glass			•	
Door armrests (front/rear)	0	0	•	
3-speed heater/blower	0	•		•
Reclining front seats		•	•	•
Carpets		•	•	•
Front parcel shelf	•	•	•	
Clock		•	•	
Front door storage pockets			•	
Map pockets on front seat backs			•	
Lockable glove box				
Carpeted load area			•	
Push button radio			•	
Cubic Capacity cc	1290	1472	1472	1548
Max, Power DIN BHP @ rpm	65 @ 6000	74 @ 6000	74 @ 6000	49 @ 5000
Max. Torque lb ft. DIN @ rpm	69 @ 3750	85 @ 3000	85 @ 3000	63 @ 2500
Gearbox	4 SP	4 SP	4 SP	4 SP
Cooling Fan	Self engaging	Self engaging	Self engaging	Self engaging
Servo Brakes	•	•		
Discs	Front	Front	Front	Front
Load Capacity Cu. Ft.	30 - 0/53 - 3	30 - 0/53 - 3	30 - 0/53 - 3	30-0/53-3
Load Floor length ins.	41-0/63.0	41 - 0/63.0	41 0/63.0	41 0/63.0
Overall Length ins.	167 75	167 - 75	167 75	167-75
Wheelbase ins.	103	103	103	103
Tyre Size	155SR x 14	155SR×14	155SR×14	155SB x 14
The state of the s		A AY	TO WAY	





PEUGEOT 505	GR	SR	STi	GRD
Cubic Capacity cc	1971	1971	1995	2498
Max. Power DIN BHP @ rpm	96 @ 5200	96 @ 5200	110 @ 5250	76 @ 4500
Max. Torque lb ft DIN @ rpm	118 @ 3000	118 @ 3000	126 @ 3500	111 @ 2,000
Gearbox	4 SP	4 SP	5 SP	5 SP
Power Assisted Steering	0	•		
Cooling Fan	Self engaging	Self engaging	Self engaging	Self engaging
Servo Brakes	•		0	0
Discs	Front	Front	Front/Rear	Front
Luggage Capacity Cu. Ft.	18:4	18:4	18:4	18-4
Overall Length ins.	180	180	180	180
Wheelbase ins.	108	108	108	108
Tyre Size +	175SR×14	175SR×14	175HR×14	175SR×14
Armrests front and rear	•		•	
Reclining front seats	•		0	
Four speed heater blower			0	
Heated backlight			0	
Illuminated lockable glovebox	0	0	0	
Electric screen wash			0	0
Two-speed and intermittent screen wiper	0	•	0	. •
Central warning light system [oil, water, brakes, lights]	•	•		
Digital clock				
Child proof rear door locks			0	
Halogen headlamps	•	0	0	0
Interior headlight adjustment	0	0		
Reversing lamps	•		0	0
Rear fog lamps				
Front seat head restraints	0	0		
Rear seat armrest	0	0		0
Illuminated ignition key hole	0	0	0	
Laminated windscreen	•			0
Tinted glass and laminated windscreen		0		
Econometer	•	•		
Front electric windows			0	
Central door locking and fuel flap				
Front door pockets	•	•	•	
Map pockets (rear of front seats)	•	•	•	•
Electrically operated sunroof		•	•	
P.B. Radio	•			0
Radio/Stereo cassette		•		19
Stereo radio/Stereo cassette			•	

PEUGEOT 604	STi	SRD TURBO
Armrests front and rear doors	•	•
Rear seat armrest	7.6	•
Reclining front seats	•	•
Head restraints front and rear	•	•
3-speed heater/blower	•	•
Heated backlight	• 4	•
Illuminated lockable glovebox		•
2-speed wipers with intermittent wipe and electric screenwash	• 33	•
Low fuel warning light	•	•
Brake system warning light for handbrake, low fluid level and brake pad wear		•
Quartz clock		•
Illuminated ignition key hole		•
4 Halogen headlamps	•	•
Internally adjustable headlamps		•
Reversing lamps	•	•
Rear fog lamps		•
Electric windows front and rear	•	•
Tinted glass all round with laminated screen	•	•
Electrically operated sunroof	•	•
Central locking of doors, windows, sunroof, fuel filler flap and boot lid		
Diagnostic plug	•	
Alloy wheels	•	
Map pockets rear of front seats	•	•
Door pockets	•	•
Power assisted steering	•	•
Stereo radio/stereo cassette	•	•
Oubic Capacity cc	2664	2304
Max. Power DIN BHP @ rpm	144 @ 5500	80 @ 4150
Max. Torque lb ft DIN @ rpm	160 @ 3000	136 @ 2000
Electronic Ignition	•	
Gearbox	Auto	5 SP
Cooling Fan	Viscous coupled	Self engaging
Servo Brakes	•	•
Discs	Front/Rear	Front/Rear
uggage Capacity Cu. Ft.	17:6	17-6
Overall Length ins:	186	186
Wheelbase ins.	110	110
Tyre Size	190/65×390TRX	190/65 x 390TRX





PEUGEOT 504 SALOON GR | Fully reclining front seats | Rear seat armrest | Cloth upholstery | Front and rear door armrests | Carpets | Variable speed heating/ventilation for | Illiuminated heater controls | Lockable glovebox | Clock | Vanity mirror | Sun-visors | Trip mileage recorder | Cigar lighter | Water temperature gauge

PEUGEOT 504 SALOON

Cubic Capacity cc
Max. Power DIN BHP @ rpm
Max. Torque lb ft DIN @ rpm

Gearbox Cooling Fan

Servo Brakes Discs

ON GR	
	☐Tinted glass
	□Econometer
	Front inertia reel seat belts
rests	Childproof locks on rear doors
	Warning light for handbrake, low fluid level and brake pad wear
entilation fan	☐Laminated windscreen
ols	☐ Electric screen wash
	☐Two-speed screen wipers
	☐Intermittent screen wipe
	☐ Heated backlight
	□Dipping rear view mirror
	☐Halogen headlamps
	☐Reversing lamps
ge	☐Rear fog lamps

GR

1796 80 @ 5500 105 @ 2,500 4 SP

Self engaging

Front

PEUGEOT 504 ESTATES	GR	FAMILY	GRD	FAMILY DIESEL
Cubic Capacity cc	1971	1971	2304	2304
Max. Power DIN BHP @ rpm	96 @ 5200	96 @ 5200	70 @ 4500	70 @ 4500
Max. Torque lb ft DIN @ rpm	119@3000	119@3000	97 @ 2000	97 @ 2000
Gearbox	4 SP	4 SP	4 SP	4 SP
Cooling Fan	Self engaging	Self engaging	Self engaging	Self engaging
Servo Brakes	•	•		•
Discs	Front	Front	Front	Frant
Load Capacity Cu. Ft.	38-8/64-3	15 : 5/34 - 6	38 8/64 3	15 5/34 6
Load Floor length ins.	56/76	27/46	56/76	27/46
Overall Length ins.	189	189	189	189
Wheelbase ins.	114	114	114	114
Tyre Size	185SR×14	185SR×14	185SR × 14	185SR×14
Fully reclining front seats		•	0	•
Cloth uphoistery		•	•	•
Front and rear door armrests	•	•		•
Carpets		•		•
Variable speed heating/ventilation fan	•		•	
Illuminated heater controls	•	•		•
Lockable glovebox	•		•	•
Clock		•	•	•
Vanity mirror		•		•
Trip mileage recorder	•	•	•	•
Cigar lighter	•	•	•	•
Tinted glass		•		•
Econometer	•			
Front inertia reel seat belts		•	•	
Front seat head restraints		•	•	•
Childproof locks on rear doors		•	•	
Warning light for handbrake, low fluid level and brake pad wear				•
Laminated windscreen		•		•
Electric screen wash			•	•
Two-speed screen wipers	•	•	•	•
Intermittent screen wiper	•	•	•	•
Heated backlight	•	•	•	•
Rear window wash/wipe	•	•	•	•
Dipping rear view mirror	•		•	•
Halogen headlamps				•
Reversing lamps			•	•
Rear fog lamp		•		•
Power assisted steering	100-1- XVII I	•		•

Luggage Capacity Cu, Ft.	16.2
Load Capacity Inc. Driver	1058 lb
Overall Length ins.	177
Wheelbase ins.	107
Tyre Size	165SR×14

Fuel Consumption Figures

Model		CONSTANT SPEED 90KPH (56 MPH)		CONSTANT SPEED 120 KPH [75 MPH]		SIMULATED URBAN DRIVING	
	MPG	Litres per 100 Kilometres	MPG	Litres per 100 Kilometres	MPG	Litres per 100 Kilometres	
1043 Door ZL	49.6	5.7	No	t Tested	36.2	7.8	
104 3 Door ZR	55.4	5.1	41.5	6.8	41.5	6.8	
104 3 Door ZS	49.6	5.7	36.7	7.6	32.5	8.7	
1045 Door GL	47.1	6.0	No	t Tested	36.2	7.8	
1045 Door GR	54.3	5.2	40.9	6.9	38.7	7.3	
1045 Door SR	51.4	5.5	37.7	7.5	32.8	8.6	
1045 Door S	49.6	5.7	36.7	7.7	32.5	8.7	
305 GL Saloon	44.1	6.4	32.5	8.7	29.7	9.5	
305 GLS/SR Saloons	46.3	6.1	33.6	8.4	32.1	8.8	
305 S Saloon	43.5	6.5	32.8	8.6	30.1	9.4	
305 GLD* Saloon	53.3	5.3	36.7	7.7	40.4	7.0	
305 GL Estate	44.1	6.4	31.0	9.1	29.7	9.5	
305 GLS/SR Estate	44.8	6.3	32.8	8.6	32.1	8.8	
305 GLD* Estate	48.7	5.8	33.2	8.5	40.4	7.0	
504 GR Saloon	40.9	6.9	30.1	9.4	25.4	11.1	
504 GR Saloon Auto	35.3	8.0	26.9	10.5	25.4	11.1	
504 GR/Family Estate	35.7	7.9	26.4	10.7	21.5	13.1	
504 GR/Family Estate Auto	31.0	9.1	24.1	11.7	23.3	12.1	
504 GRD/Family Diesel Estate*	40.9	6.9	28.2	10.0	31.7	8.9	
505 GR/SR	40.4	7.0	31.0	9.1	25.0	11.3	
505 GR/SR Auto	36.7	7.7	27.1	10.4	25.9	10.9	
505 STi [5-Speed]	38.2	7.4	30.4	9.3	21.6	13.1	
505 STi Auto	35.3	8.0	26.6	10.6	23.2	12.2	
505 GRD (5-Speed)	47.9	5.9	34.4	8.2	32.5	8.7	
604 STi	27.7	10.2	22.4	12.6	16.7	16.9	
604 SRD Turbo*	46.3	6.1	32.8	8.6	29.4	9.6	

THESE FIGURES ARE THE RESULTS OF APPROVED TESTS AS RECORDED BY THE DEPARTMENT OF ENERGY IN OFFICIAL FUEL ECONOMY CERTIFICATES

6 Years' Anti-corrosion Guarantee

All Peugeots have the benefit of a six years' anti-corrosion guarantee on all body or underbody panels and each unit is meticulously treated against permanent spread of corrosion by total immersion in a cathodic electrophoretic bath — a process which makes the body shell particularly resistant to corrosion.

But Peugeot's answer to corrosion is not confined solely to this technological innovation of anti-corrosive cathodic electrophoresis. Peugeot uses in addition all the well established anti-corrosion coatings of proven resistance value, and these are applied before and after the electrophoretic bath.

To benefit from this guarantee involves only two checks of the car [taking about 2 hours depending on model, carried out at the expense of the customer at the end of the second and fourth years of service] at a Peugeot Dealer. The Peugeot 6 year anti-corrosion guarantee is transferable on change of ownership.

Peugeot thus gives further proof, were it needed, that you may regard the purchase of your Peugeot as a good investment.

1. Sheet Metal:

Certain body items which are difficult to protect and liable to corrosion are made of zinc-plated or galvanised steel.

2. Phosphating:

Improves adhesion of resin film in the electrophoretic bath.

3. Cathodic Electrophoretic Bath:

A film of epoxy resin is deposited on the whole of the body shell. Box sections are pierced to enable internal surfaces to be reached and protected.

Pressure injection of wax into box sections:

Protection of internal wall surfaces, preventing water from penetrating between panels.

5. PVC Anti-chipping compound:

Protection of those parts of the body which are subject to attack by loose stones.

6. Primer:

The undercoat includes oxydisation-inhibiting pigments (zinc chromates) which improve anti-corrosion protection. Anti-chipping qualities are also included.

7. NAD (Non-aqueous dispersion) Acrylic Lacquer:


Thermosetting by baking at above 150°C. High covering power.

8. Clear Varnish (On metallic and black paint only):

Increased brilliance and better protection of the pigmentation of the colour coat against corrosive elements in the atmosphere.

9. Wax Bitumen Compound:

Applied over the whole of the underbody and mechanical components.



^{*}Diesel consumption in accordance with French Government test procedures